KELSEY'S HARDY AMERICAN PLANTS

and Carolina Mountain Flowers



Showing beds of Rhododendron maximum at Highlands Nursery

Nearly 100,000 plants in this block alone of Rhododendron maximum, R. catawbiense and Kalmia latifolia, partly under shades of lath and Rhododendron branches. Abies fraseri in the background.

All Correspondence must be addressed to Boston Office

Long Distance Telephone

Cable Address - KELMONT, BOSTON

Highlands Nursery

HARLAN P. KELSEY

Proprietor Highlands Nursery
Kawana, N. C.
From which place shipments are made

Tremont Building BOSTON, MASS.

A Rare and Beautiful Hardy Carolina Mountain Shrub

Stuartia pentagyna



THIS, the so-called American Camellia, is one of the most beautiful of all North American shrubs as well as one of the most rare, and has been much sought after for many years, being sparingly offered at times by a very few nurserymen in America and Europe.

Highlands Nursery has disseminated it quite largely, and we beg to announce that we now have a splendid stock on hand for the first time in years, which is offered below.

Stuartia pentagyna is the only American representative of the Tea and Camellia family which can be grown in the latitude of New England, and a few very fine clumps are now growing in the vicinity of Boston. It is an erect shrub, ten or twelve feet high, well foliaged and with large axillary flowers three or four inches across, with white creamy petals, deeply crenulated on the margins and resembling those of some of the single Camellias. Altogether it is one of the finest of all shrubs for single or mass planting and thrives in damp situations as well as in drier garden soil.

Orders should be placed at once for fall shipments, and stock will be reserved.

		Per 10	100	1,000
Prices:	6 to 12 in	\$1 00	\$8 00	\$70 00
	1 to 2 ft.	1 75	15 00	130 00
	2 to 3 ft	3 50	30 00	250 00
	0 4. 4 84	5 00	45 00	

This is an exceptional opportunity for nurserymen to stock up and for Park and Cemetery officials to secure a supply of this rare and beautiful shrub

Rhododendron maximum American Rose Bay

AND

Kalmia latifolia Mountain Laurel



Showing Rhododendron maximum supplied by me growing at "Greystone," Yonkers, N. Y., the estate of Samuel Untermyer, Esq. Out of thirty carloads collected and shipped by us to this estate last spring, there was practically no loss. Photograph taken September, 1901, about four months after planting.

The use of collected Rhododendrons and Kalmias for quickly and permanently producing fine landscape effects is now well established, and with any reasonable expenditure there is no other possible way to obtain the results to be had by the use of these magnificent hardy broad-leaved evergreens. We have been in the business of collecting and growing Rhododendrons, Kalmias, Azaleas and other hardy American plants for sixteen years, and our sources of supply are not only unexcelled but the long experience of our employees renders a commission placed in our hands peculiarly safe.

Our supply and advantages being unlimited, we are prepared to accept orders for fall or spring delivery, with an assurance of prompt service and satisfactory material that

must give good results.

In carload lots we collect sizes from 2 feet to 10 feet in height with corresponding diameter; the number to the car, say forty or fifty to three or four hundred, depends entirely on the size. We are glad to give prices and all information possible to prospective purchasers, and specially invite correspondence on the subject from Landscape Architects, Park Superintendents and Boards and Estates.

Leucothoë catesbæi, Galax aphylla, and the rare Rhododendron catawbiense from the Carolina mountains we also collect by the carload, but the peculiar conditions of distance from railroads to plant stations, and rather heavy freight rates, make their use more limited to the producing of finer finished effects in connection with Rhododendron maximum and Kalmia latifolia, or with other planting. The foliage effects of these broadleaved evergreens is beyond comparison, the leaves being rich in color, and excepting Rhododendron catawbiense turning brilliant bronze tints in fall and winter. Full information for the asking.

Address all communications to

HARLAN P. KELSEY

Tremont Building, Boston, Mass.

IMPORTANT Read Before

My Hardy Stock is shipped direct from Highlands Nursery, in the western North Carolina mountains, from Pineola, N. C., freight station. The present freight rate to New York, Boston and Philadelphia is 961/2 cts. per 100 pounds. Special express rates, connecting with Norfolk steamers.

I claim superior packing, my export shipments reaching the most remote

countries in perfect condition. Packing charged for at cost.

Foreign Remittances should be sent by International Postal Money Order, drawn on Boston, Mass., Post Office, or by New York or Boston Exchange. An American dollar is equal to a little more than four (4) English shillings, four (4) German marks, or (5) francs.

Our Foreign Correspondents are notified that we use the Western Union

and A. B. C. Telegraph and Cable Codes and Adams Cable Codex.

Claims must be made immediately on receipt of goods. All shipments travel at consignee's risk. Shipping begins about September 15 and lasts till December, and in spring from March 1 to May 15. Give shipping instructions unless you wish to leave it to me. I use best judgment but assume no risk.

Growing Rhododendrons, Azaleas, Kalmias, Hemlocks and plants of this class in wholesale quantities will continue to be my specialty. All the leading Parks, Cemeteries and Nurseries of America as well as those abroad, have been satisfactorily supplied in the past with many hundreds of thousands of plants from Highlands Nursery.

Correspondence with all Parks, Cemeteries, Nurseries and Botanical Gar-

dens in America or abroad especially solicited.

This Catalogue cancels all previous quotations.

COLLECTED PLANTS

Nearly all plants offered in this Catalogue are heavy, nursery-grown, but can usually

be supplied in strong collected stock, when desired.

My facilities are unapproached elsewhere for collecting the best stock at a low cost, and an experience of 15 years and well-trained collectors enable me to assure buyers that orders for "collected" plants will receive the same attention and care as though I intended planting the stock myself. As a rule, however, I do not recommend the extensive use of collected stock and cannot guarantee it in any instance.

Rhododendrons, Kalmias, Leucothoë catesbaei, Galax aphylla, and other broad-leaved evergreen shrubs and ground-covering plants are collected by the carload for use in producing immediate effects by massing. This subject requires special correspondence. See first page for special advertisement.

Do You Want Hardy Stock?

The location of HIGHLANDS NURSERY, at the summit of the Blue Ridge, in western North Carolina, 3 800 feet among the clouds, and under the shadow of the great Grandfather mountain (the highest peak in the Blue Ridge range) insures long, cool summers and cold winters, which are very favorable to the growth of these beautiful native ornamentals, producing a perfectly hardy stock - a most important point with northern planters. The thermometer often reaches an extreme of 10° to

15° below, and every few years will go as low as 20° or more below zero.

The Azaleas, Rhododendrons, and most of the ericaceous plants herein offered thrive best in rich, peaty soils and partially shaded situations. A good soil can be made by excavating 2 to 3 feet of the surface, and filling with equal parts of good leaf-mold or other decayed vegetable matter and surface loam, with one-tenth or more of sharp sand. Swamp muck or field sod may be used. Mulching (spent tan, moss, leaves, hay, etc.), is always useful, and is necessary where the ground is very dry. Lime, in large quantities, in any form is very damaging to Rhododendrons, Azaleas, and cricaceous plants in general. As a rule, give the plants a deep soil, with plenty of well-decayed vegetable food and good drainage, and the results will be satisfactory. Always give Rhododendrons a northern exposure where possible, and do not cultivate deep, as ericaceous plants are surface feeders.

Hardy American Trees, Deciduous

S.—Seedlings. Col.—Collected plants. All of	
ACED subsum Coorlet Monle	Size Per 10 100 1,000
ACER rubrum, Scarlet Maple	. 3 to 6 in. , \$0 25 \$2 00 . 6 to 12 in 40 3 00 \$20 00
16 66 66	
	. 2 to 3 ft 1 00 8 00 60 00
46 46 66 66	3 to 4 ft 1 50
" saccharinum, Sugar Maple	, , , , , , , , , , , , , , , , , , , ,
" spicatum Mountain Maple S	. 2 to 3 ft 75 5 00
spicatum, mountain mapic. S	
41 41 44 44	
" " " " "	2 to 3 ft I 50 I2 00 3 to 4 ft 2 00
" striatum, Striped Maple	. 6 to 12 in 40 3 00
a a a a	I to 2 ft 75 6 00
	2 to 3 ft 1 00 8 00
ÆSCULUS flava, Buckeye. S. 1-yr	3 to 6 in 25 2 00 18 00
" " "	. 1 to 2 ft 60 5 00
AMELANCHIER botryapium, Showy Mespilus .	. 6 to 12 in 50 4 00 35 00
16 66 66 11	1 to 2 ft 75 7 00 60 00 2 to 4 ft 1 00 9 00
	2 to 4 tt 1 00 9 00 4 to 6 ft 2 00 18 00
ASIMINA triloba, Papaw. S	. 6 to 12 in 50
" " " S	I to 2 ft 75
BETULA lenta, Sweet Birch	6 to 12 in 25 2 00
	I to 2 ft 40 3 00 22 00
46 46 46 46	2 to 4 ft 75 5 00
	. 4 to 6 ft 1 25 10 00
" lutea, Yellow Birch	I to 2 ft 40 3 00 20 00 2 to 3 ft 75 5 00
41 11 11 11	2 to 3 ft 75 5 00 3 to 5 ft I 00 8 00
	5 to 6 ft 1 50
46' 46' 46 46	6 to 8 ft 2 00
" nigra, River Birch	. , I to 2 ft , I oo 7 oo 60 oo
46 46 46 46	2 to 3 ft 1 25 10 00
papymera, raper birch	I to 2 ft I oo 7 oo 60 oo
	2 to 4 ft 1 50 12 00 4 to 6 ft 2 00 18 00
CERCIS canadensis, Red Bud. S. 1-yr	60 400
" " " S	6 to 9 in
CARPINUS caroliniana, Water Beech. S	6 to 12 in 40 3 00 15 00
" " S	I to 2 ft 50 4 00 25 00
46 46 46 46	. 6 to 12 in 50 4 00 25 00
	I to 2 ft 75 5 00 40 00
	2 to 3 ft I 25 3 to 4 ft 2 25
66 66 66	. 6 to 8 ft 3 50
CASTANEA americana, American Chestnut. S	. 6 to 12 in. 25 1 50 10 00
	I to 2 ft 50 2 50 18 00
" " " " " " " " " " " " " " " " " " "	2 to 3 ft I 00 7 00
pumia, Cumkapin. Col	. I to 2 ft I oo 7 oo
CATALPA bignonioides	3 to 5 ft 50 4 00
CELTIS occidentalis	6 to 12 in
CIADDASTIS timetoria Wallow Wood	1 to 2 ft 1 50 4 to 12 in 50 3 50
CLADRASTIS LINCIONA, YEHOW WOOD	. 1 to 2 ft 1 00 8 00
CORNUS alternifolia, Swamp Dogwood	. 6 to 12 in 40 2 50 20 00
" " "	I to 2 ft 75 5 00
	2 to 3 ft I 50
" florida, White Dogwood	. 6 to 12 in 60 4 00 35 00
66 66 66 66	I to 2 ft I 00 7 00 60 00
	. 2 to 4 ft 1 50 12 00 4 to 6 ft 2 50
	4 to 0 tt 2 jo
Floreties of Wintings	M 2 900 foot

						C		Domas		
Deciduous	<i>Trees, contin</i> ut tal i, Wes	nued teru Dogw	ood.	S. 1-V	r		ize 6 in	Per 10	\$8 00	1,000
	s virginiana						12 in			
3103; TKO	J viiginana						18 in			
RAXINUS	americana,	White Asl	1			. 3 to		. 75		
4.6	64					4 to		. I 00	8 00	
**	46	44 44				6 to		. 2 00		
44	"		A = 1				12 ft	. 3 00		
44	sambucifo	lia, Black	Ash .			1 to	2 it	. 1 00		
44	**	46	46			2 to	4 ft 6 ft	. I 50		
44	viridis, Gre		•				12 in	. 75	5 Ó0	
66	ii ii	1 11				I to	2 ft	. 1 00	,	
"	66 6					2 to	4 ft	. I 50		
AGUS fer	ruginea, Am	erican Bee	ch			6 to	12 in	. 60	4 50	\$35 0
44	64,	**					18 in	. 75	6 0	55.0
SYMNOCLA	ADUS canade	ensis, Ken	tucky C	offee T	ree.		12 in	. 40	2 50	
**	• • •	4		44	66	I to	0.	· 75	5 00	
161 FC14) Contraction	_		••	2 to		. I 00	8 00	
IALESIA d	liptera, Snoy	wdrop Tree	. S S			I to	12 in 2 ft	· 75	5 00	
	etraptera, '		S.	ı-yr.		. 3 to		. 1 25	10 00	
"		6 6 6				I to		. 1 00		
6.6	** *	6 66				2 to	-	. 2 00		
4.6	"	6 66				4 to	6 ft.	3 50		
LEX mont	ticola, Mour	ntain Holly				6 to	12 in	. 50	2 50	
	61	6 66				I to	2 ft	. 75	5 00	
						. 2 to		. I 25	10 00	
**						. 3 to		. I 75	15 00	
66 66				1.1		. 4 to		. 2 50	20 00	
			_	clum	ps.		-	. 3 50	30 00	
	ericana, Am				- • •	ı to		. I 00	8 00	
LIQUIDAM	BAR styrac	flua, Swee	t Gum			. 2 to	4 ft	. I 25		
	DRON tul pil	fera, Tulip				. I to	-	. 60	4 00	30 0
61	• • • • • • • • • • • • • • • • • • • •	"				. 2 to		. I 00	7 00	50 0
		_			• •	, 4 to		. 1 50	12 00	
WAGNOLIA	acuminata	, Cucumbe	r Tree				12 in	. 60	4 00	35 O
"	**	66	66		• •	. 1 to		· 75	5 00 7 00	
44	16	**	4.6			. 3 to		. I 25	7 00	
**	44	4.6	44			. 4 to				
4.6	66		6.6			. 6 to		. 2 50		
44	fraseri .					. 3 to		. 40	3 00	
"							12 in	. 75	6 00	
44						. I to		. I 25	10 00	
**	" .					. 2 to		. I 75	12 50	
"						. 3 to		. 2 00	2 00	** ^
41	umbrella					. 3 to	6 in	. 35	2 00	15 O 30 O
44	44					. I to		. 1 00		30 0
"	44					. 2 to	-	. I 25	10 00	
"	66					. 3 to		. 1 75		
4.4	66					. 4 to		. 2 00		
44	44					. 6 to	8 ft	. 2 25		
MECHNDO	aceroides,	Ash-leaved	Maple	e. S		. I to	2 ft	. 50	3 00	
1 EGUILDO	4.4	6.6	6.6				-	-	5 00	
44	**	4.4	"			. 2 to	4 ft			
66	Indiana Too	nwood .				. 6 to	12 in	. 75	5 00	45 C
"	irginica, 110					. I to			10 00	80 c
" DSTRYA vi	44						- 54			
STRYA vi	46						3 ft	. 2 00	15 00	
OSTRYA vi	" RUM arbore	um, Tree	 Andron			. I to	2 ft		7 00	
OSTRYA vi	" RUM arbore	um, Tree	Andron	neda .		. I to	2 ft 3 ft	. 1 00 . 1 50		
OSTRYA vi	" RUM arbore	um, Tree	Andron	neda . :		. I to	2 ft	. I 00 . I 50 . 3 50		

	Trees, continued Size	Per 10	100	1,000
PRUNUS	pennsylvanicum, Wild Red Cherry. A			
	fine tree for producing quick shade and effect; short-lived. Col 12 to 18 in	\$0.25	\$1 00	\$7 0
44		75	4 00	#1
44		1 00	6 00	
66	" " " 4 to 6 ft		10 00	
66	" " " 6 to 8 ft		12 00	
PYRUS a	mericana, Mountain Ash 1 to 2 ft	I 50	12 00	
44	•	2 00	15 00	
"	" " 3 to 5 ft	-	20 00	
" co		1 75	5 00	40 0
SOFKCOS	a ba, White Oak. S 6 to 12 in		3 50	
44	aquatica. 1-yr. S 3 to 6 in castanea, Chestnut Oak. S 6 to 12 in	1 I 00	7 00 3 50	
	" " " 1 to 2 ft		\$ 30	
	" " " 2 to 3 ft	, , ,		
44	" " 3 to 5 ft		12 50	
4.6	coccinea, Scarlet Oak. S 6 to 12 it		5 00	40 0
4.6	" " S 1 to 2 ft	I 25	10 00	
44		1 I (O	7 00	
- "		1 75	5 00	
44	lyrata, Ozer-cup Oak. S. I-yr 6 to 12 it		8 co	
"	macrophylla 6 to 18 it			
"	rubra, Red Oak. S 6 to 12 it		2 50	15 0
66 .	5 1 to 2 in		5 00 8 00	35 C
66	" " S 2 to 3 tt		0 00	
RHAMNU	S caroliniana, Buckthorn, S 6 to 9 in		I 50	10 0
44	" " 1 to 2 ft		5 00	
44	" 2 to 3 ft		7 00	
4.6	" 3 to 4 ft			
	pseudacacia, Yellow Locust 1 to 2 ft	50		
	" " 2 to 4 ft	, ,	5 00	
TAXODIU	M distichum, Southern Cypress. S I to 2 ft		8 00	
TILLA am	2 10 3 11		4.00	
ii am	ericana, Linden 6 to 12 in		4 00 6 00	
44	" " 2 to 3 ft		0.00	
" het	erophylla " I to 2 ft			
	mericana, American Elm 6 to 12 in		3 50	
6.6	" " I to 2 ft	75	5 00	
"	" " 2 to 4 ft		7 00	
44	" " 4 to 6 ft			
" f	ulva, Slippery Elm 6 to 12 in	., , I 00		
	Deciduous Shru	hc		
	Declauous Oma	D3		
	Size	Per 10	100	1,000
ALNUS s				40
" vi	rid s, Alpine Alder 6 to 12 it		\$9 00	\$80 c
44			12 50	
	110117	-	F 00	
.,,	cana, Speckled Alder. Col 1 to 2 ft		5 00	
MELANC	HIER rotund fo ia			
	oblongifolia ,		5 00	
4 MUKP II	" ' 2 to 3 ft	1 50	9 00	
6.6	herbacea " I to 2 ft	1 60	7 00	
66	" " to 3 ft		12 00	
ANDROM	EDA ligustrina. See Xolisma.	- 3-		
"	mariana. See Pieris.			
"	racemosa 12 to 18 it			
	pinosa , , , , , , , 6 to 12 in			
**	" I to 2 ft	I 50		
6.6	" 2 to 3 ft	2 00		

Deciduot	s Trees,	contin	ued							Siz	e			Per	10	10	00	1,000
ARONIA	(Pyrus)	nigra							I	to	2	ft.		\$0	75	\$6	00	
4.6	44	6.6	Fine						2	to	3	ft.		I	50	12	00	
66	6.6	66								to								
6.6	64	erythi	rocarp															
6.6	66									to								
ASCYRU	M hyperi	icoides									-				75		00	

AZALEAS

The American Azaleas are among the choicest of all ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by HIGHLANDS NURSERY. Large masses of "Great Flame-Colored Azalea," calendulacea, when seen in flower, present the most gorgeous effects, the shadings varying from deep crimson to a bright sulphur-yellow, and its complete hardiness is unquestionable. The foliage of A. arborescens is the finest of all the Azaleas, remaining a clear, shiny green throughout the summer, a characteristic not usual with this family. The large, white, sweet-scented flowers appear the last of all the Azaleas, and the numerous pink-tipped stamens protruding give a most beautiful effect. Azalea vaseyi is one of the finest introductions of late years, the flowers appearing before the foliage in April in the greatest profusion, white to deep pink; attains a height of 12 to 15 feet. A. nudiflora (deep pink) and A. viscosa (white) are pretty, dwarfer varieties, very useful in the under shrubbery.

The only large and fine stock in the world of American Azaleas is now growing in the HIGHLANDS NURSERY, all heavy plants with balls and full of flower buds, excepting

perhaps some of the	smanest	sizes.
---------------------	---------	--------

P • • • • • • • • • • • • • • • • • • •									Si	ze			Per	10	100	,	1,00	00
		cens, Fr	agrant			a		6	to	12	in		\$2	00	\$15	00	\$125	00
6.6	4.6		66	6.6	6.6			12	to	18	in.		3	00	25	00	225	00
4.6	"		6.6	44	"			18	to	24	in.		4	50			_	
6.6	"	ro	sea (b						to	24	in			-				
					imps,													
6	calendu	lacea, G	Freat Fl											00	6	00	45	00
•				4.6	6.6			12	to	18	in		1	50	12	00	85	00
•	**		4.6	6.6	.4.6			18	to	24	in		2	00	18	00		
66	nudifio	ra, Pinxi						. 6	to	12	in		I	00	7	00		
6.6	"	"	6					12	to	18	in.		1	75	15	00		
4.6	"	44												50				
**	vaseyi							3	to	6	in		1	co	6	00		
**	6.6							. 6	to	12	in		1	25	9	00	80	00
66	6.6				•			12	to	18	in		I	50	12	50		
44	4.6							. 18	to	24	in		2	00	18	00		
66	"	Mostly												00	35	00		
**	"	Heavy												00	50	00		
**		, Early V		zalea				. 6	to	12	in		I	CO	7	00	45	00
4.6	"	"	**					12	to	18	in		1	25	9	00	-	
4.6	"	"	6.6	4.6									2	00				
BERBER	RIS cana	idensis,		can Ba										50	2	50		
"		44	"		"						ft			75	.5	00		
"		4.6	4.6		"				to		ft.			25	8	00		
"		ns												00	15	00		
**	thur	bergii.												75	6	00	35	00
44			**					12	to	18	in	٠	1	00	7	00	50	00
**		aris. I-						3	to	9	in							
CALLICA	IRPA pu	rpurea,	French	1 Mul	berry.	He	avy	7										
clui	mps													75	5	00		
CALYCA	NTHUS !	loridus,	Sweet	Shrub	. S.	I-vr.		. 3	to	6	in.			30	I	50	7	00
"		. 66	44	66	S.			6	to	12	in.			40		50		00
**		4.6	4.6	* *							ft			50		00		00
		6.6	4.6	4.6		ns.					in.			60		00		00
66		66	4.6	4.6		ns					ft			75		00	-	00
"		66	66	66		ns			to		ft		I	00		00		00
**		6.6	6.6	6.6		ns.				4	ft.		ī	50		00	43	-
**		44	6.6	6.6	Clu	mps	: :	4	to	6	ft.	-	2	50		00		
"		ævigatu	s						to		ft			00		55		
						• •				3		•	_	50				

	us Shrubs,						Size	_	er 10	100	1,000
CALYCAR	NTHUS læv	igatus								\$18 00	
CEANOT						4 .	6 ft		4 00		
CEANOI	HUS amer	icanus			• •		12 1n		50	75.00	
		ginica, Whit	o Evinos				18 in		2 00	15 00	£10.00
CHIONA		iiica, wiii	e Finge		• •	I to	12 in 2 ft		I 00 I 50	5 00	\$40 00
4.0	6	44 44	44			3 to	4 ft		3 00		
**	4	"	6.6			4 to	6 ft		5 00		
CLETHR	Aacuminat	ta, Southern	Pepper B	nsh		6 to	12 in.	•	35	2 50	
66	66	"		11		I to	2 ft		50	4 00	
4.6	66	6.6	66 6			2 to	3 ft	. 1	1 00	7 00	
"	44	4.6				3 to	4 ft		1 75	16 00	
6.6	"	4.4				4 to	6 ft	. :	2 50		
4.6	44	6.6	4.4			6 to	8 ft.		3 50		
6.6		Pepper Bu	sh				12 in		50	4 00	
4.6	"	66 66				I to	2 ft		75	6 00	50 00
"	"	46 46	Heavy	clumps		2 to	3 ft.		2 00	19 00	
							3½ ft		3 00		
CLIFION	NIA ligustri	11d			•		12 in		1 00		
CODMILE		Siller Come -1	6			I to	2 ft.		1 75	4 00	
COKNUS	s sericea,	Silky Cornel	. S			I to	2 ft 2 ft	•	00 I 00	6 00	
66	4.6					2 to	3 ft		2 00	0 00	
64	"	66 66	Clumps			4 to	6 ft		3 00		
4.4	stolonifer	a, Red-Twig	ged Dogw	ood. S		3 to	6 in		20	I 00	8 00
66	**	"		S		6 to	9 in		30	2 00	12 50
4.6			66				12 in		50	3 50	25 00
6.6	4.4	4.4	4.6			I to	2 ft		I 00	6 00	
66	4.6	44	**			2 to	3 ft		1 50		
**	6.6	66				3 to	5 ft	. :	2 00		
* 6		Round-Lea					2 ft		I 50		
**		a, Panicled					2 ft		1 25	8 00	60 00
"	alba sang	guinea, Scar	let-Twigge	d Corne	<u>.</u>	6 to	12 111	•	40	2 50	
	S america:		••	•••	•	-	18 in		60	4 00	30 00
CORTLO	S america	па				I to	2 ft		40 60	2 50 4 00	30 00
44	6.6					2 to	3 ft	•	1 00	6 00	30 00
46	rostrata						18 in		I 00	6 00	
CRATEG	SUS puncta	ta. S.					12 in	•	50	3 00	
"	crus-g					I to	2 ft		I 50	3	
44	cordat					-	12 in		50	4 00	
"	"					12 to	18 in		75	6 00	
DECOD	ON (Nesaea) verticillat		ng					00	7 00	60 oo
DIERVIL	LA rivulari	s				12 to	18 in		2 50		
64	sessilife	olia (sulphu	r-yellow)			I to	2 ft		60	4 00	20 00
"	**	Clumps						, 1	00	7 00	50 00
**	trifida .						12 in	•	50	4 00	20 00
							18 in	•	75	6 00	
DIRCA F	palustris, L	eatherwood.					12 in		75	6 00	
		C4					18 in	•	1 50	- 00	
FUONVE	MUS americ	canus, Stra	wberry Bu	sn	•	I to	-	•	75	5 00	
EUONYN						2 10	3 ft		1 25	10 00	
44	•	daaa				6 40	ro in				
44	SACIA fron						12 in	٠	75		
44	SACIA fron					9 to	12 in		1 00		
GAYLUS:	SACIA fron	nosa. I-yr.	, light ; tr	ans.		9 to	12 in 2 ft		1 00 1 00	12 00	
GAYLUS:	SACIA fron resii ursii	nosa. 1-yr. na. Rare	, light ; tr	ans.		9 to 1 to 6 to	12 in 2 ft 9 in	:	1 00 1 00 1 50	12 00	25 00
GAYLUS:	SACIA fron resin ursin ELIS virgin	nosa. I-yr.	, light; tr	ans.		9 to 1 to 6 to	12 in 2 ft 9 in 12 in		1 00 1 00	12 00 3 00 6 00	
GAYLUS	SACIA fron resii ursii ELIS virgin	nosa. I-yr. na. Rare ica, Witch-	, light ; tr Hazel. St	ans		9 to 1 to 6 to 6 to	12 in 2 ft 9 in 12 in 2 ft		I 00 I 00 I 50 50	3 00	
GAYLUS	SACIA fron resii ursii ELIS virgin "	nosa. 1-yr, na. Rare ica, Witch-	, light; tr Hazel. St	ans		9 to 1 to 6 to 6 to 1 to	12 in 2 ft 9 in 12 in 2 ft 3 ft		1 00 1 00 1 50 50 1 00	3 00	
GAYLUS:	SACIA fron	nosa. 1-yr. na. Rare ica, Witch-	, light; tr Hazel. St	ans		9 to 1 to 6 to 6 to 1 to 2 to	12 in 2 ft 9 in 12 in 2 ft 3 ft 4 ft		1 00 1 00 1 50 50 1 00 2 00	3 00	
GAYLUS	SACIA from	nosa. I-yr. na. Rare ica, Witch-	, light; tr Hazel. St	rong	ips.	9 to 6 to 6 to 1 to 2 to 3 to 4 to 6 to	12 in 2 ft 9 in 12 in 2 ft 3 ft 4 ft		1 00 1 00 1 50 50 1 00 2 00 3 50	3 00	
GAYLUS:	SACIA from resit ursit ELIS virgin	nosa. I-yr. na. Rare ica, Witch-	, light; tr Hazel. St Hea ooth Hydr	rong rong vy clum	ips.	9 to 6 to 6 to 1 to 2 to 3 to 4 to 6 to	12 in		1 00 1 00 1 50 50 1 00 2 00 3 50 5 00	3 00	
GAYLUS	SACIA fron	nosa. I-yr. na. Rare ica, Witch	, light; tr Hazel. St Hea ooth Hydr	rong rong	ips.	9 to 1 to 6 to 6 to 1 to 2 to 3 to 4 to 6 to 1 to 2 to	12 in		1 00 1 00 1 50 50 1 00 2 00 3 50 5 00 7 00	3 00 6 00	25 00 50 00

Deciduous Shrubs, continued		Si	ze	Pe	r 10	100	1,000
IYDRANGEA radiata, Silver Hydrangea		I to	2 ft	. \$0	6 o	\$4 00	
" " "			3 ft		75	6 00	
" " Heavy		3 to	4 ft	. 1	50	12 50	
LEX decidua. S		3 to	9 in.	•	75		
" verticulata					75	5 00	
			2 ft		00	7 00	\$60 C
		2 10	3 ft	. 1	50		
EA virginica			2 ft]	00	8 00	
		2 to	3 ft	. 1	50	12 50	
EUCOTHOË racemosa		1 to	2 ft	. 2	00		
" recurva			12 in.	•	50	3 50	
			18 in		75		
GUSTRUM ibota. Clumps		2 to	3 ft		00		
NDERA benzoin, Spice Bush			6 in		50	3 00	
46 46 46 46			12 in		75	4 00	30 0
	• •	I to	2 ft		00	8 00	70 0
ENZIESIA pilosa (globularis)			-		50	3 00	
			2 ft		75	5 00	
YRICA asplenifolia, Sweet Fern	:	12 to	IS in.		75	5 00	40 0
" Heavy		$\frac{1}{2}$ to	2½ it	. 1	25	8 00	
cernera, wax myrthe. S. 1- and 2-y							
small		6 to	12 in	٠,	50	3 00	20 (
" gale, Sweet Gale, extra-fine					25		
ii ii ii ii ii					50		
EMOPANTHES canadensis					00	6 00	
" " "			2½ ft		50		
ERIS (Andromeda) mariana		6 to	12 in	. 1	25	10 00	
			2 ft		50	12 50	
OTENTILLA fruticosa, Shrubby Cinquefoil		6 to	12 in		75	30	
			2 ft			9 00	
	ery						
rare			- / 6:				
" caroliniana		I to	2½ It	. 1	50		
			12 in		50	4 00	
" " " S				:	50 75	4 00 6 00	
" " " S YRULARIA oleifera. S. 2-yr	· · ·	i to	2 ft	•	50 75 25		
YRULARIA oleifera. S. 2-yr	: :	i to	2 ft	. 1	50 75 25 2 00		
YRULARIA oleifera. S. 2-yr		i to 6 to i to	2 ft	. 1	50 75 25 2 00 3 00	6.00	
YRULARIA oleifera. S. 2-yr		f to 6 to 1 to 6 to	2 ft 12 in 2 ft 12 in		50 75 25 2 00 3 00 50	4 00	
YRULARIA oleifera. S. 2-yr		i to 6 to 1 to 6 to 1 to 1 to	2 ft 12 in 2 ft 12 in 18 iu	. 1	50 75 25 2 00 3 00 50	6.00 4.00 6.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "HODORA canadensis".		i to 6 to 1 to 6 to 1 to 1 to 1 to	2 ft 12 in 2 ft 12 in 13 in 2 ft	· 1	50 75 25 2 00 3 00 50 50	6.00 4.00 6.00 9.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn """ HODORA canadensis "" HUS aromatica		6 to 1 to 6 to 1 to 6 to 1 to 6 to 1 to 6 to	2 ft 12 in 2 ft 12 in 18 iu 2 ft 17 in	. 1 . 3 . 3	50 75 25 200 300 50 50 50 25	6.00 4.00 6.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn """ HODORA canadensis "" "" HUS aromatica		6 to 1 to 6 to 12 to 1 to 6 to 12 to 1 to 6 to 12 to 18 to	2 ft		50 75 25 2 00 3 00 50 50	6.00 4.00 6.00 9.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn """ HODORA canadensis """ HUS aromatica """ Clumps "copallina, Scarlet Sumac		6 to 1 to 6 to 12 to 1 to 6 to 12 to 1 to 6 to 12 to 18 to	2 ft		50 75 25 200 300 50 50 25 75	6.00 4.00 6.00 9.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HODORA canadensis "" "" HUS aromatica "" "" "" "" "" Clumps "" "" "" "" "" "" "" "" "" "" "" "" ""		6 to 6 to 1 to	2 ft 12 in 2 ft 13 in 18 in 2 ft 112 in 12 in 13 in 24 in 2 ft	. 1 . 1 . 1 . 1 . 2 . 2	50 75 25 200 300 50 50 25 75 250	6.00 4.00 6.00 9.00 8.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HODORA canadensis "" "" Clumps "" copallina, Scarlet Sumac "" "" "" "" "" "" "" "" ""		6 to 1 to 6 to 1 to 6 to 12 to 6 to 12 to 6 to 13 to 6 to 1 to 2 to	2 ft 12 in 2 ft 13 in 2 ft 18 in 2 ft 18 in 2 ft 24 in 12 in 2 ft 3 ft	. 1 . 3 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	50 75 25 200 300 50 50 25 75 250 50 75 250 75	4 00 6 00 9 00 8 00 3 00 5 00	
" " " " " " " " " " " " " " " " " " "		1 to 6 to 1 to 6 to 12 to 6 to 12 to 6 to 12 to 6 to 13 to 6 to 1 to 1 to 1 to	2 ft 12 in 2 ft 12 in 18 iu 2 ft 18 in 2 in 18 in 2 ft 3 ft 2 ft	. 1 . 2 . 3 . 1 . 1 . 1 . 2	50 75 25 200 300 50 50 25 25 25 50 75 25 25 25 200	6.00 4.00 6.00 9.00 8.00 3.00 5.00 6.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn HODORA canadensis "" "" HUS aromatica "" "" "" "" "" "" "" "" ""		6 to 1 to 6 to 1 to 6 to 12 to 1 to 6 to 12 to 18 to 6 to 1 to 2 to 1 to 2 to 2 to	2 ft	. 1 . 2 . 3 . 1 . 1 . 1 . 2	50 75 25 200 300 50 50 25 75 250 75 25 00 50	4 00 6 00 9 00 8 00 3 00 5 00	
"" "" "" "" "" "" "" "" "" "" "" "" ""		6 to 1 to 6 to 1 to 6 to 12 to 1 to 6 to 12 to 18 to 6 to 1 to 2 to 1 to 2 to 4 to	2 ft	. 1 . 2 . 3 . 1 . 1 . 1 . 2	50 75 25 200 50 50 50 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 75 250 750 750 750 750 750 750 750 750 750 7	6.00 4 00 6 00 9 00 8 00 5 00 6 00 12 00	
YRULGRIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HODORA canadensis "" "" "" "" "" "" "" "" "" "" "" "" "		6 to 1 to 6 to 1 to 6 to 12 to 6 to 12 to 18 to 6 to 1 to 2 to 1 to 2 to 1 to 2 to 1 to	2 ft 12 in 2 ft 13 in 2 ft 18 in 2 in 18 in 24 in 2 ft 3 ft 2 ft 4 ft 12 in 2 ft	. 1 . 3 . 3	50 75 25 200 300 50 50 50 75 25 75 25 200 75 25 300 75 75 75 75 75 75 75 75 75 75 75 75 75	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00	
"" "" "" "" "" "" "" "" "" "" "" "" ""		6 to 1 to 6 to 12 to 15	2 ft	. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	50 75 25 20 30 50 50 50 50 50 75 75 75 75 75 75 75 75 75 75 75 75 75	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00 5.00 8.00	
"" "" "" "" "" "" "" "" "" "" "" "" ""		6 to 1 to 6 to 1 to 6 to 12 to 6 to 12 to 18 to 6 to 1 to 2 to 1 to 2 to 1 to	2 ft	. 11 . 12 . 13 . 14 . 15 . 16 . 17 . 18 . 18 . 18 . 18 . 18 . 18 . 18	50 75 25 20 30 50 50 50 50 50 75 75 75 75 75 75 75 75 75 75 75 75 75	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00 5.00 8.00	
YRULARIA oleifera. S. 2-yr. HAMMUS alnifolia, Buckthorn "" HODORA canadensis "" "" "" "" "" "" "" "" "" "" "" "" "		6 to 1 to 6 to 1 to 6 to 12 to 13 to 15 to	2 ft		50 75 75 200 300 50 50 50 50 50 50 50 50 50 50 50 50 5	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00 5.00 8.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HODORA canadensis "" "" "" "" "" "" "" "" "" "" "" "" ""		6 to 1 to 6 to 12 to 6 to 12 to 18 to 6 to 1 to 2 to 1 to 2 to 1 to 2 to 4 to 1 to 2 to 6 to 1 to	2 ft	. 1 . 2 . 3 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	50 75 75 20 30 50 50 50 50 50 75 50 75 60 75 75 75 75 75 75 75 75 75 75	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00 5.00 8.00	
"" "" "" "" "" "" "" "" "" "" "" "" ""		6 to 1 to 6 to 12 to 6 to 12 to 18 to 6 to 1 to 2 to 1 to 2 to 1 to 2 to 4 to 1 to 2 to 6 to 1 to	2 ft		50 75 75 20 30 50 50 50 50 50 50 75 75 75 75 75 75 75 75 75 75 75 75 75	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00 5.00 8.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HODORA canadensis "" "" "" "" "" "" "" "" "" "" "" "" "		1 to 6 to 1 to 1 to 1 to 1 to 1 to 1 to 6 to 1 to 6 to 1 to 6 to 1 to 2 to 1 to 4 to 1 to 2 to 4 to 1 to 6 to 1 to 6 to 1	2 ft	. 1 . 2 . 3	50 75 75 25 200 50 50 50 50 50 50 50 50 50 50 50 50 5	6.00 4 00 6 00 9 00 8 00 5 00 6 00 12 00 5 00 8 00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HODORA canadensis "" "Clumps "Copallina, Scarlet Sumac "" "" "" "" "" "" "" "" "" "" "" "" ""		1 to 6 to 1 to 1 to 6 to 1 to 1 to 6 to 12 to 13 to 6 to 13 to 6 to 14 to 2 to 14 to 4 to 6 to 15 to 16 to 17 to 18 to 18 to 19 to 19 to 19 to 19 to 10 to 11 to 11 to	2 ft	. 1 . 2 . 3 . 1 . 1 . 1 . 2 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3	50 75 75 20 00 50 50 50 50 50 50 50 50 50 50 50 50	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00 5.00 8.00 12.00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HODORA canadensis "" "" "" "" "" "" "" "" ""		1 to 6 to 12 to 12 to 13 to 6 to 12 to 14 to 6 to 15 to 6 to 1 to 6 to 1 to 6 to 1	2 ft		50 75 75 20 30 60 50 50 50 50 50 75 75 25 50 75 60 75 75 60 75 75 75 75 75 75 75 75 75 75 75 75 75	6.00 4 00 6 00 9 00 8 00 5 00 6 00 12 00 5 00 8 00	
YRULARIA oleifera. S. 2-yr. HAMNUS alnifolia, Buckthorn "" HUDORA canadensis "" "" "" "" "" "" "" "" ""		1 to 6 to 12 to 15 to 16 to 16 to 17 to 18 to 18 to 19 to 10	2 ft		50 75 75 20 00 50 50 50 50 50 50 50 50 50 50 50 50	6.00 4.00 6.00 9.00 8.00 5.00 6.00 12.00 5.00 8.00 12.00	

Deciduous Shrubs, continued Size Per 10	100	1,000
ROBINIA viscosa, Pink-Flowering Locust 1 to 2 ft \$0 7.	5	
" 2 to 4 ft I o		
" " 15 15 15 15 15 15 15 15 15 15 15 15 15		
" 6 to 8 ft 2 o)	
ROSA blanda, Smooth Rose 1 to 2 ft I o)	
" acicularis, Prickly Rose 1 to 2 ft 2 5)	
" arkansana		
" " 6 to 12 in		
" Nice		f
lucida, Dwall Rose		\$25 00
Time stock	-	40 00 12 50
" carolina	_	25 00
" " 2 to 3 ft I o		30 00
" " 3 to 4½ ft I 5		50 00
" fendleri 6 to 12 in 2 u	-	
" nitida 6 to 12 in I o)	
" " 12 to 18 in		
" nutkana I to 2 ft 2 5		
" rugosa ferox		
" rubiginosa, Sweet Briar. S. I- and 2-yr 3 to 6 in 5	3 00	
" set gera, Prairie Rose 3 to 6 in 6	-	20 00
" " 6 to 12 in 7		
" " " I to 2 ft I o		
RUBUS odoratus, Flowering Raspberry 1½ to 3 ft 7.	3 00	25 00
SALIX sericea. Clumps 2 to 3 ft 2 o)	
SPIRÆA dumosa)	
" salic folia. Clumps 3 to 4 ft 7		
" 4 to 6 ft I o		50 00
" tomentosa, Steeple Bush I to 2 ft I 5		0
" van houttel. Heavy clumps 2 to 3 ft I 5	_	
STUARTIA pentagyna, American Camellia 6 to 12 in 1 o	_	70 0 0
" " to 2 ft I 7		130 00
" " 2 to 3 ft 3 5		250 00
" " 3 to 4 ft 5 o		
SYMPHORICARPOS racemosus, Snowberry 1 to 2 ft 1 o)	
" heavy clumps 18 to 24 in 1 o)	
" vulgaris 2 to 3 ft. I o)	
" clumps 3 to 4 ft I 5)	
SYRINGA vulgaris	0	
VACCINIUM hirsutum 3 to 6 in 1 5	o Io co	
" 6 to 12 in. 2 5	00 81 0	
" pennsylvanicum. 1-yr 3 to 6 in 7		
ti stamingum Deerberry 6 to 12 in 7	-	
stanmeum, Decidenty /		
" corymbosum. I-yr 6 to 12 in 1 o		
" corymbosum. 1-yr 6 to 12 in 1 o		
" corymbosum. I-yr	0	20.00
" corymbosum. 1-yr 6 to 12 in 1 o	o o 400	30 00 45 00
" corymbosum. 1-yr 6 to 12 in 1 o "I-yr 6 to 12 in 1 o VIBURNUM acerifolium, Maple-leaved Arrowwood. 1-yr. trans 6 to 12 in 6 "" 1-yr. trans	0 4 00 5 6 00	30 00 45 00
" corymbosum. 1-yr 6 to 12 in 1 o " 1-yr 6 to 12 in 1 o " 1-yr	0 4 00 5 6 00 0 8 00	-
" corymbosum. I-yr	0 4 00 5 6 00 0 8 00 0 18 00	-
" corymbosum. I-yr. 6 to 12 in. 1 o " I-yr. 1 to 2 ft. 1 5 VIBURNUM acerifolium, Maple leaved Arrowwood. " I-yr. trans. 6 to 12 in. 6 " I-yr. 12 to 18 in. 7 " heavy 1 to 2 ft. 2 to 3 ft.<	0 4 00 5 6 00 0 8 00 0 18 00 0 4 (0	-
" corymbosum. I-yr 6 to 12 in 1 o " I-yr 1 to 2 ft 1 5 VIBURNUM acerifolium, Maple-leaved Arrowwood. " I-yr. trans	0 4 00 5 6 00 0 8 00 0 18 00 0 4 (0	-
" corymbosum. I-yr	0 4 00 5 6 00 8 00 18 00 1 4 0 0 8 00	-
" corymbosum. I-yr. 6 to 12 in. 1 to 2 ft. 1 5 VIBURNUM acerifolium, Maple-leaved Arrowwood. I-yr. trans. 6 to 12 in. 6 to 12 in. 6 " I-yr. trans. 6 to 12 in. 6 6 to 12 in. 6 to 12 in. 6 6 to 12 in. 6 to 12 in. 6 6 6 6 to 12 in. 6 </th <th>4 00 5 6 co 8 co 18 00 4 (0 8 00</th> <th>-</th>	4 00 5 6 co 8 co 18 00 4 (0 8 00	-
" corymbosum. I-yr. 6 to 12 in. 1 o " I-yr. 1 to 2 ft. 1 o VIBURNUM acerifolium, Maple-leaved Arrowwood. I-yr. trans. 6 to 12 in. 6 " I-yr. 12 to 18 in. 7 " Heavy 1 to 2 ft. 1 o " cassinoides 6 to 12 in. 6 " cassinoides 6 to 12 in. 6 " to 2 ft. 1 o 2 to 3 ft. 1 o " cassinoides 2 to 3 ft. 1 o 2 to 3 ft. 1 o " to 2 to 3 ft. 1 to 2 ft. 1 to 3 ft. 1 to 2 ft. 1 to 3 ft.	4 00 5 6 co 8 co 18 00 4 (0 8 00 5 5 00	45 00
" corymbosum. I-yr. 6 to 12 in. 1 to 2 ft. 1 5 " I-yr. 1 to 2 ft. 1 5 VIBURNUM acerifolium, Maple-leaved Arrowwood. I-yr. trans. 6 to 12 in. 6 " I-yr. 12 to 18 in. 7 " heavy 1 to 2 ft. 10 " cassinoides 6 to 12 in. 6 " to 2 ft. 1 to 2 ft. 1 to 2 ft. " dentatum 2 to 3½ ft. 1 5 " lantanoides, Hobble Bush 6 to 12 in. 7 " lantanoides, Hobble Bush 6 to 12 in. 7	4 00 5 6 00 8 00 18 00 4 (0 8 00 0 8 00 0 8 00	-
" corymbosum. I-yr. 6 to 12 in. 1 to 2 ft. 1 5 " I-yr. 1 to 2 ft. 1 5 VIBURNUM acerifolium, Maple leaved Arrowwood. I-yr. trans. 6 to 12 in. 6 " I-yr. 12 to 18 in. 7 " I-yr. 12 to 18 in. 7 " heavy 1 to 2 ft. 1 to 2 ft. 1 to 2 ft. " cassinoides 6 to 12 in. 6 " cassinoides 1 to 2 ft. 1 to 2 ft. <th>4 00 6 6 00 0 8 00 0 18 00 4 (0 8 00 0 8 00 0 8 00 0 8 00 0 8 00 0 8 00</th> <th>45 00</th>	4 00 6 6 00 0 8 00 0 18 00 4 (0 8 00 0 8 00 0 8 00 0 8 00 0 8 00 0 8 00	45 00
" corymbosum. I-yr. 6 to 12 in. 1 o " I-yr. 1 to 2 ft. 1 5 VIBURNUM acerifolium, Maple leaved Arrowwood. I-yr. trans. 6 to 12 in. 6 " I-yr. 12 to 18 in. 7 " I-yr. 12 to 18 in. 7 " heavy 1 to 2 ft. 10 " cassinoides 6 to 12 in. 6 " cassinoides 1 to 2 ft. 10 " cassinoides 2 to 3 ft. 15 " dentatum 2 to 3 ft. 1 5 " dentatum 1 to 2 ft. 1 to 2 ft. " lantanoides, Hobble Bush 6 to 12 in. 7 " nudum 6 to 12 in. 1 to 2 ft.	4 00 6 6 00 0 8 00 18 00 4 (0 0 8 00 0 8 00 0 8 00 0 8 00 0 8 00 0 6 00 5 9 00	45 00

Deciduous Shrubs, continued	Size	Per 10	100	1,000
xanthorrhiza apiifolia. Yellowroot. Exception- ally fine undershrub for shady and moist situa-				
tions. The cut leaves color beautifully in autumn.				
We supplied many thousands which were planted in Franklin Park, Boston, this spring. 1-yr.				
trans.	3 to 6 in.	. \$0 5ე	\$3 00	
2-yr., heavy trans. Fine stock			6 00	50 00
XANTHOXYLUM americanum, Prickly Ash clava-herculis. S. I-yr	3 to 6 in	. I 50		
XOLISMA (Andromeda) ligustrina, Privet Andromeda	6 to 12 in	. 50	3 00	25 00
66 66	1 to 2 it.,	. 75	5 00	40 00
Conifers and E	Slara	*00	nc	
Contjers and E	vergi			
ABIES fraseri, True Southern Fraser's Fir	Size 3 to 6 in	Per 10	100	1,000
66 66 66 46 46	6 to 12 in.	, \$0 50	\$3 00	\$18 00
66 66 66 66 66 66 66 66 66 66 66 66 66	1 to 2 ft 2 to 3 ft	, 0	5 00 IO 00	40 00
£6 £6 £6 £6 £6	2 to 3 ft 3 to 4 ft		10 00	
CHAMÆCYPARIS sphæroidea, White Cedar	3 to 5 ft	. I 25		
UEV annua American Trailer	5 to 8 ft		6 00	
ILEX opaca, American Holly	3 to 6 in		6 00	80 00
66 66 66 66			10 00	00 00
JUNIPERUS virginiana, Red Cedar		. 60	4 00	
MAGNOLIA grandiflora, Great Southern Magnolia	I to 2 ft	00 1 .	8 00	
Prices on application .				
" glauca, Sweet Bay				
66 66				
" var. thompsoniana. S. 1-yr.	4 10 0 111 .	•		
Very rare PICEA nigra, Black Spruce	3 to 6 in	. 2 00	15 00	
(1) (1) (1)	6 to 12 in	. 40	3 00	
" nummers Colorado Blue Spruce	1 to 2 ft		5 00	
pungens, colorado Bide Spidee	6 to 12 in		12 00	
" douglasi, Douglass Spruce			8 00	
" rubra, Red Spruce	3 to 9 in	. I 00		
" alba, White Spruce	3 to 6 in	. 75		
" engelmanni, Engelmann's Spruce PINUS banksiana. 1-yr.	6 to 12 in.	. I 25	4.00	20.00
	6 to 12 in.	. 50 . I 00	4 00	30 00
" " " "	12 to 18 in	. 1 50		
	7 to 10 ft.			
" resinosa, Red Pine	6 to 12 in 6 to 12 in	. I 00 . 75	5 00	
et et et et	I to 2 ft		8 00	65 00
46 46 46 46	2 to 3 ft		12 50	100 00
66 66 66 66	3 to 4 ft.	, 2 00	18 00	
(4 flowstillo C	4 to 5 ft 3 to 5 in.		7 00	
THUYA occidentalis, Arborvitæ	I to 2 ft.		7 00 3 00	20 00
TSUGA canadensis, Hemlock	3 to 6 in	-	2 00	15 00
66 66 46	6 to 12 in.	. 40	3 50	30 0 0
	12 to 18 in 18 to 24 in		6 00 12 00	40 00
66 66	2 to 3 ft.		20 00	
46 46 46	3 to 4 ft.		35 00	
" caroliniana Carolina Hambook	4 to 5 ft.			40.00
" caroliniana, Carolina Hemlock	3 to 6 in 6 to 12 in		5 00 15 00	40 00 130 00
Wo Supply Many Bass Notin	- D14	- N -		

Conifers			Size						Per 10		1,000			
TSUGA d	caroliniana,	Carolina	Hemlock						I to		ft.	. \$3 co	\$25 00	
66	66	44	6.6									. 9 00		
66	66	6.6	44						3 to	4	ft.	. 20 00		
6.6	64	4.6	" \$3.5	o to	5	5 ea	ich		4 to	. 6	ft.			
6.6	8.6	44	" \$6	to	\$1	o ea	ch	١.	6 to		3 ft.			

This grand new Hemlock, introduced by us, possesses a distinct pyramidal growth, and attains a height of 40 to 50 feet. Its dense, dark foliage and graceful habit are only approached by some of the finer Japanese Hemlocks, which it somewhat resembles. Some fine specimens, 12 to 15 feet high, are now to be seen in the Arnold Arboretum, and are the first plants of this Hemlock ever sent out, being supplied by us to Prof. C. S. Sargent, Director, in 1884.

Evergreen Shrubs

The following (mostly broad-leaved) Shrub Evergreens are of greatest value for massing and for ground covering. All are perfectly hardy, and most of them produce a grand show of flowers. It is needless here to more than call attention to the large stock of Rhododendrons and Kalmia latifolia offered below. All are carefully transplanted and cultivated, and are clean and stocky. I have special methods of growing, gained by long experience, which insures healthy, well-ripened wood and good balls on roots, and the large quantities grown enable me to produce and sell at extraordinarily low prices. They will also be collected to order cheaply in any quantities.

A specialty is made of collecting to order by the carload clumps and large plants of *Rhododendron maximum*, *Kalmia latifolia*, *Leucothoë catesbæi*, and others, which are sure to grow and produce a fine immediate effect. Cost for this service gladly estimated, and correspondence invited, particularly from Landscape Gardeners and Park and Cemetery Superintendents. Special advertisement elsewhere.

Size	Per 10	100	1,000
ANDROMEDA nitida 6 to 12 in.	\$2 00		
" polifolia 6 to 12 in.	75	\$5 00	\$40 00
" 12 to 18 in.		10 00	″8o oo
ARCTOSTAPHYLOS uva-ursi 3 to 6 in.	2 00		
CASSANDRA calyculata, Leather Leaf 6 to 12 in.	75	5 00	40 00
" " 12 to 18 in.		10 00	40 00
" clumps 12 to 18 in.		15 00	
DENDRIUM (Leiophyllum) buxifolium, Sand Myrtle. 6 to 12 in.		4 00	
" " " 12 to 18 in.		6 00	
" prostratum, Mountain Heath. Strong . Second size		7 00	50 00
" Heavier clumps First size.	2 00	15 00	30 00
HYPERICUM aureum 6 to 12 in.		8 00	
" " to 2 ft.		12 00	
" 2 to 3 ft.	0-		
" 3 to 4 ft.			
" densiflorum. S 6 to 12 in.		I 50	10 00
" S 1 to 2 ft.		2 00	15 00
" to 2 ft.		4 00	-5
"	I oo	6 00	45 00
" 3 to 4 ft.		10 00	40
" prolificum. S 6 to 12 in.		4 00	30 00
" " to 2 ft.	75	6 00	0
" " 2 to 3 ft.		12 00	
" 3 to 4 ft.			
" 5 to 6 ft.	3 00		
ILEX glabra 6 to 12 in.	I oo	8 00	
" "	2 00	15 00	
JUNIPERUS sabina prostrata 3 to 6 in.	I 50	12 00	
KALMIA angustifolia, Dwarf Laurel 6 to 12 in.		4 00	
" " I to 2 ft.	75	6 00	
" glauca, Pale Dwarf " Light 6 to 12 in.		6 00	
" " " 12 to 18 in.	I oo	8 00	

Evergreen Shrub	s, continued			Size	Per 10	100	1,000
KALMIA latifolia	. Mountain I	aurel		. g to 6 in	\$0 50	\$2 50	\$20 00
66 66	44			. 6 to 12 in		5 00	40 00
66 66	66			. 12 to 18 in		12 50	110 00
66 66	4.6			. 18 to 24 in		20 00	
66 66	6.6			. 6 to 12 in		30 00	
44	4.6	44		. 12 to 18 1n		U	
46 66	6.6	44		. 3 to 4 ft			
LEUCOTHOË cat	eshæi			. 3 to 6 in		3 00	20 00
14	16			, 6 to 12 in	50	4 00	30 00
44				. 12 to 18 in		6 00	30 00
4.6				. 12 to 18 in		0 00	
LEDUM groenlan						5 00	
((11 11		. 12 to 18 in		IO 00	
RHODODENDRO	N catawhier	se Carolina				5 00	40 00
"	44	61		. 6 to 12 in		12 50	00 OII
61	4.6	€ 6		. 12 to 18 it		0-	
Clum	ps at 50 cts.	to \$3 each.					
6.6	max mum	. Great Laur	el	. 3 to 6 in	50	2 50	20 00
41	4.6	11 11		. 6 to 12 in		6 00	40 00
6.6	4.6	44 44		. 12 to 18 in		15 00	125 00
66	4.6	44 44		. 18 to 21 in		25 00	
66	4.6	44 44		. 6 to 12 in		_5	
6.6	6.6	44 44	"	, 12 to 18 in			
44	6.6	66 66	4.6	. 18 to 24 in			
A few c	lumps at 50 c	ts. to \$3 each	1.				
6.6	punctatun	, Pink Lau	rel	. 3 to 6 in	t		
6.6	4.6	46 66		. 6 to 12 in		7 00	50 00
66	44	**		. I to 2 ft		15 00	•
TAXUS canaden	sis. Canadia	ı Vew					

Vines, Climbers and Creepers

Many plants here offered re of special merit for ground covering, and where needed in large quantities, will be supplied at very low prices. Ambelopsis quinquefolia var. engelmanni, Lonicera sempervirens, L. halleana, L. japonica, Polygonum cilinode, Celastrus scintens. Rubus hispidus and Vitus species are particularly recommended. In soils adapted to its growth (peaty or loamy, and preferably moist), Galax aphylla makes a hardy evergreen undershrub covering of lasting beauty, being a rich green in summer and coloring vivid bronze tints in autumn and winter, an effect which must be seen to be appreciated.

AMPELOPSIS engelmanni. This is the clinging form of the well-known Virginia Creeper, and was introduced by us several seasons ago. The leaves are much thinner and smaller than in the ordinary variety, and the whole plant lacks the coarseness that characterizes A. quinquefolia and it clings to walls like the ivy. The fall coloring is exceedingly brilliant, and in every way it is vastly superior to the common form, which is not used where the new variety is known and can be had. A fine stock ready for fall delivery. (See prices under this).

											.CL 10	100	1,000
AMPELOPS	IS quinquefolia,	Virginia	Creeper							. \$	00		
4.6	englemanni.												
6.6	- 44	Strong, 2	d size .								75	4 00	35 00
64	6.6	Heavier,											60 00
BIGNONIA	capreolata, Cros	s Vine.	3		٠	٠			,		50	3 00	20 00
4.6	66 61	16	to 6 in.								75	4 00	30 00
66	grandiflora, Tru	mpet Vin	e						٠		2 00		
4.6	radicans. Stron	ng. I to	2 ft								40	3 00	
CELASTRU	S scandens, Bitt	ersweet.	ıst size								1 00	8 00	
6.6	4.6	6.6	2d size			٠	٠	4			75	5 00	

When Ottobar and Comment and and	Domin		
Vines, Climbers and Creepers, continued CLEMATIS coccinea	Per to	100	1,000
" crispa	2 00	£9 00	`
" douglasii		12 00	
" ligusticifolia, Western Virgin's Bower	1 30	12 00	
" virginiana, Virgin's Bower	7.5	4 00	\$25.00
Small strong plants Col \$10 per 1 000 (We ship	75	4 00	\$35 oo
Small, strong plants, Col., \$10 per 1,000. (We ship thousands annually.)			
" paniculata	2 00		
COCCULUS carolinus	75	5 00	
DIOSCOREA villosa	40	3 50	
EPIGÆA repens, Trailing Arbutus. Extra strong and large. Col.			
clum is	I 00	7 00	
GALAX aphylla. Trans. Clumps	75	7 00	
" Col. clumps	50	3 00	20 00
GAULTHERIA procumbens, Wintergreen. Col. clumps	30	2 00	15 00
HOUSTONIA serpyllifolia, Bluets. Col. clumps. Fine for edging.	30	2 00	15 00
HUMULUS lupulus, Hop Vine. Fine for quick covering		5 00	30 00
IPOMAEA pandurata, Moonfl wer			
LONICERA halleana, Hall's Honeysuckle. Finest ground covering.			
Heavy, 1st size	1 00	7 00	60 00
" " Strong, 2d size	50	4 00	30 00
Japonica. Strong	50	4 00	30 00
parvinora. Can be trained as a standard weeper. 2 to 4 it.			
Semperations, Scarlet Honeysuckie. Especially adapted		6 00	
to ground covering LYCOPODIUM, in variety. Peaty soils. Col		6 co	
MENISPERMUM canadense, Moonseed	50	4.00	
MITCHELLA repens, Partridge Vine. Col. clumps	50	4 00	05.00
NEPETA glechoma, Ground Ivy. Best covering for moist ground.		4 00	25 00
Col.; strong	30	2 00	10 00
PASSIFLORA incarnata, Passion Flower	75	2 00	10 00
PHLOX reptans, Trailing Phlox. Col	30	2 50	12 50
" subulata. Strong	75	6 00	3-
" aiba. Strong	I 25	10 00	
POLYGONUM cilinode. A very quick covering	50	3 50	
RUBUS canadensis. Strong. 6 to 12 in	50	3 00	20 00
" cunelfolium. 6 to 12 in		5 00	20 00
" deliciosus. I to 2 ft	2 00		
" hispidus. One of the best for all situations. Leaves color	1 50		
" hispidus. One of the best for all situations. Leaves color			
beautifully	30	2 00	15 00
" trivialis. Col	1 50	3 00	
VACCINIUM crassifolium		3 00	
VERONICA serpyllifolia and officinalis, Creepers. Col.; clumps	40	3 00	
VINCA minor, Periwinkle. Finest ground covering. Strong trans		4 00	20 00
VITIS æstivalis. S. I to 3 in		4 00	20 00
" cordifolia, Frost Grape. S. 6 to 12 in		7 00	
" indivisa. 12 to 18 in		, 00	
" labrusca, Fox Grape. 12 to 18 in		7 00	
" monticola. S. 4 to 12 in		, 55	
" riparia. S. 3 to 6 in		5 00	
" vulpina. I-yr		4 00	20 00
WISTARIA frutescens. 3 to 6 in	50	3 00	20 00
" Heavy. 2 to 3 ft		3 00	

Native Ferns

A good collection of hardy native Ferns for park and cemetery planting, including the following varieties :

Adlantum pedatum, Aspidium marginale,

Aspidium spinulosum, Aspidium acrosticholdes, Dicksonia punctilobula, Onoclea sensibilis,

Osmunda, in 3 vars. Polypodium vulgare, Pteris aquilina.

Most of the above ferns will be collected to order at \$10 per 1,000, excepting the Osmundas, which are very heavy, at \$15 per 1,000. Only strong clumps will be sent. All nursery grown except where marked Col.

	Per 10	100	1,000	Per 10 100 1,000
Adiantum	pedatum, Maidenhair			Camptosorus rhizophyllus,
Fern	\$1 00	\$6 00		Walking-Leaf Fern \$0 60 \$4 00
	acrostichoides, Dag-	•		Cheilanthes vestita 1 00 7 00
- syluidin	ger Fern 75	£ 00	\$20.00	Cystopteris bulbifera 1 00
*4	cristatum clintoni-	5 00	\$30 00	Dicksonia punctilobula, Col.
				clumps 50 200 \$10 00
	anum 2 50			Lygodium palmatum 1 00
**	filix-mas 2 00	12 00		Onoclea sensibilis 1 00 5 00
44	goldianum 2 50			Osmunda cinnamomea, Cinna-
44	marginale, Shield			mon Fern 75 5 00
	Fern 75	5 00	30 00	44
44	munitum 2 50	•	•	
44	spinulosum, Wood			" gracilis 1 00
	Fern 75	5 00	30 00	regards, Royal Petil . 75 5 00
44	thelypteris 2 00	5 00	30 00	Phegopteris hexagonoptera 75
Acalonium				Polypodium falcatum 1 75 10 00
_	1 femina michauxii. 2 00			" vulgare. Polypody
Botrychiu	m lunaroides, Moon			Col 50 200 1000
	wort 60	4 00		Pteris aquilina, Brake 50
44	dissectum 60	4 00		Scolopendrium vulgare 4 00
4.6	virginicum 60	4 00		Woodwardia virginica. Col., 1 00 6 00

Aquatics and Bog Plants

flowe	NE LYONI. Rare and valuable. Bright pink rs in large clumps; very showy in masses, ps. 60 cts. for 10, \$3 per 100, \$18 per 1,000
Darling	gtonia californica 3 50 30 00
have insect	A MUSCIPULA (Venus' Fly Trap). We been headquarters for this rare and curious ivorous plant for many years. Can be mailed pressed at any time of the year. Strong s, \$1 for 10, \$5 per 100, \$40 per 1,000.
Drosera	A filiformis, Thread- Leaved 1 00 rotundifolia, Sundew . 50 2 50
ceedi	IAS BULLATA, extra fine. A rare and ex- ngly showy bog plant. Large purple flowers fr in March and April. 75 cts. for 10, \$4 per go per 1,000.
	cum actæfolium 75 5 00 sagittifolia. Very rare . 4 00 30 00
from with t odora	HEA BRAKELEY! ROSEA. This is a hybrid the best form of Nymphæa tuberosa, crossed the rare Cape Cod Pink Water Lily, Nymphæa ta rosea. The original plant produces leaves, thes in diameter and flowers 8 inches across.

ing the richest and most powerful fragrance of the hardy varieties. \$3 each, \$25 for 10.

1,000 | NYMPHÆA ODORATA (White Fragrant Water Lily). Few aquatics equal this for hardiness and effect. \$1 for 10, \$5 per 100, \$35 per 1,000.

NYMPHÆA ODORATA ROSEA. The famous Cape Cod Pink Pond Lily. We export large quantities every year. \$5 for 10.

	45			
		Per 10	100	1,000
Orontium :	aquaticum, Golden	1		
Club		\$1 00	\$7 00	
Pontederia	cordata	75	5 CO	
Sagittaria	sagittifolia, Arrow	,		
	Head		2 00	8 00
4.6	variabilis	. 30	2 00	8 00
Sarracenia	drummondii	2 00	15 00	
1.6	flava, Trumpets	I 50	8 00	
4.6	psittacina. Parrot			
	beaked Pitcher			
	plant	2 00	15 00	
+ 1	purpurea, Hunts		0	
	man's Cup		5 00	
6.6	rubra, Red-flowered			
	Trumpet-leaf		S 00	
44	variolaris, Spotted			
	Trumpet-leaf		12 50	60 00
Sparganius	n ramosum, Bur Reed		3 00	
	macrocarpon, Cran		5	
	berry		4 00	
46	Col.	-	2 00	6 00
Tynha lati	folia, Cat-Tails	0.7	2 50	
	ustifolia	-	_ 50	
HW8	MACETANAM			

Orchids

Calopogon pulchella	s. Purple		100 \$6 00	1,000
CYPRIPEDIUM SPE	CTABILE(V	Vhite L	ady-Sli	pper)-
Having secured as				
finest of all Ameri				
offering it at low				
foreign correspond				
to be able to secur				
rare and beautiful				
\$1 for 10, \$7.50 per				
crowns, \$1.50 for 1				
Extra, 6 to 9 crow	ns, \$2.50 for	10, \$20	per 10	0, \$170
per 1.000 : XXX. 0	crowns and	d over.	\$2 50 1	OT TO

\$30 per 100.

		er 10	100	1,000
Cypripediu	m acaule, Purple Lady-Slipper \$	60	\$4 00	\$30 00
"	pubescens, Col. Yellow Lady- Slipper	6 o	4 00	30 00
	ubescens, Rattlesnake.	75	5 00	
Habenaria	ciliaris, Yellow Fringe	75	5 00	
41	orbiculata. Col	75	5 00	
46	psycodes. Purple Fringe	00		
Orchis spec	tabilis, Showy Orchid.			
Col		00	8 00	
Pogonia op	hioglossoides	75	4 00	

Lilies and Bulbous Plants

A 107	***			Per 10	1	00	1,000
Allium cern	uum. Pi	nk		\$1 00			
Allium tric	occum.	White.		75	\$4	00	
Amianthiun	n muscæt	oxicum		50	2	50	
Arisæma tri	phylla. I	ack-in-t	he-				
Pulpit				50	3	00	
Convallaria	majalis,	ily-of-t	he-				
Valley, nat	ive form .			50	2	50	\$15 00
Dicentra ci	icullaria,	Squir	rel				
	Corn			50	3	00	
" e:	ximea. R						
	variety.			1 00	8	00	
" 51	ectabile.			1 50	12	00	
Erythronium	namer	icanu	m.				
Dog's-tooth	ı Violet.	Col		25	1	00	7 00
Iris versicol	or. Clum	ips		75	5	00	
Lilium cana	dense, me	dium si	ze.	75	6	00	
44 6	' sm	all		50	4	00	
" colur	nbianum			2 00			
	inianum			1 00	7	00	50 00
	bæi, smal			1 00		00	50 00

P. Kelsey.) Since introducing this beautiful and rare Lily in 1888, many thousands have been sent out to all parts of the world, and it is considered one of the best, most distinct and showy of the family. First size, \$2 for 10, \$12.50 per 10, \$80 per 1,000; Second size \$1 for 10, \$7 per 100, \$50 per 1,000.

Lilium	humboldtii .				3	00		
14	pardalinum				I	50	10	00
4.6	parvum							
14	philadelphic					00	7	00

LILIUM SUPERBUM (Turk's-Cap Lily). No description will do justice to this magnificent American Lily. A clump of them is literally a "blaze of scarlet and gold." For years we have made the growing of this Lily a specialty and have sent out over a hundred thousand bulbs. Our stock this season is very fine, and we are offering it at a low price, for the benefit of large planters and those wishing to catalogue it. Of special use for planting in Rhododendron beds. Special prices: First size, 75 cts. for 10, \$4 per 100, \$20 per 1,000; Second size, 50 cts. for 10, \$2 50 per 100, \$20 per 1,000; Third size, 25 cts. for 10, \$1.50 per 100, \$10 per 1,000.

					r 10	100	1,000
Lilium	washingto	nianum		. \$3	00		
0xalis	acetosella,	Col			25	\$1 00	\$7 00

TRILLIUMS (Wood Lilies). The Trilliums, especially *T. grandiflorum*, are of especial value for massing in plantation borders and under trees, They are cheap and give quick effect. Can be shipped in August.

Trilliu	m erectum. Purple, extra				
	fine	30) 2	00	15 00
4.6	erythrocarpum, Paint-				
	ed Trillium	50) 2	50	18 oo
4.6	grandiflorum, Great				
	White Trillium	25	; 1	25	9 00
44	ovatum	I 50)		
66	stylosum, Nodding				
	Trillium	2 00	15	00	
6.6	sessile californicum .	1 00	8	00	

Herbaceous Perennials

A fine stock of nursery-grown clumps, especially suitable for borders and shrubbery planting. Assortments, our selection, at \$4 per 100, \$25 per 1,000, including the best sorts.

Aconitum reclinatum. Rare \$1 25	100,	1,000
" uncinatum, Purple Monkshood 75	\$5 00	\$35 00
Actæa alba, Baneberry 50		
" spicata rubra 1 00	7 00	
Agave virginica, Aloe. Tropical effect		
Amsonia tabernæmontana. Strong, trans		
Angelica curtisii 50	3 00	15 00
Aquilegia canadense, Columbine, Clumps 1 00	6 00	

Per 10	100	1,000
Apocynum androsæmifolium \$1 00		
Aralia nudicaulis, Sarsaparilla . 50	\$3 00	
" racemosa	4 00	
" quinquefolia, Ginseng. The rare and valuable root exported to China. Prices on application.		٠
Archangelica hirsuta 60	3 00	
Artemisia frigida 1 50		
Asarum shuttleworthii, Heart-		
leaf 50	3 00	
Asclepias incarnata. S 1 50		

Herl	aceou	is Pere	nnials, continued
Per 10	100	1,000	Hibiscus grandiflorus. S.
Asclepias tuberosa \$ 75	\$6 00		Hibiscus grandiflorus. S.
Aster cordifolius, Tall, Purple. Moist places 50	3 00	\$10 00	" grandiflorus alba.
Moist places 50	2 00	10 00	S. 1 yr 1 00 6 00
" mixture 50	2 00	10 00	" militaris. S. 1-yr. 1 00 8 00 militaris roseus.
Baptisia australis. Purple.			S. 1-yr 1 00 8 00
Clumps, strong I 50	12 00		" Rose-Pink. S.
" tinctoria. Bright			2-yrs. Strong 1 00 6 00
yellow	4 00		Hieracium vencsum 50 3 00
Boykinia aconitifolia 50 Brunella vulgaris. Col 50	2 00		Houstonia purpurea 50 3 00
Brunella vulgaris. Col 50 Callirhoe involucrata 1 50	2 00		tenumona
Campanula divaricata, Hare-			grown clumps. 1 00 5 00
bells, Clumps 1 00	5 00		" Strong. Col. plants 50 200 \$10 00
Carex fraseri. Rare 75	5 00		" verna. Strong nursery-
Cassia marylandica. S. Strong, 1 50	8 00		growr clumps 1 00 5 00
" S. I year. 75	4 00	30 00	" " Strong Col. plants . 50 2 00 10 00
Caulophyllum thalictroides 60 Collinsonia canadensis 50	4 00		" versicolor 2 00
Collinsonia canadensis 50 Chamælirium carolinianum 1 00	6 00		Krigia dandelion montana. Clumps. New; very showy, 100 600
Cimicifuga americana 60	3 00	25 00	Liatris spicata montana. New . 1 00 6 00
racemosa 60	3 00	25 00	Lobelia cardinalis, Cardinal
The Cimicifugas are particu-			Flower, Strong . 50 4 00
larly adap ed to woods planting, where they thrive and produce			" syphilitica, Blue. Col. 75 4 00
very showy spikes and trusses of			Leucoreum montanum 1 50 12 00
white flowers.			Lysimachia ciliata 50 3 00 Melanthium virginicum 1 00 8 00
Clintonia umbellata 50	3 00		Melanthium virginicum 1 00 8 00 Mertensia virginica 1 00 8 00
b realis 50	3 00	40 00	Mimulus ringens. Clumps. Col 50 200 1200
Coreopsis lanceolata	5 00	40 00	Monarda didyma coccinea.
" trichosperma 75	3 00		Strong 1 co 8 co
" verticillata 75	4 00		Parnassia caroliniana 1 00
Cornus canadensis 75	6 00		Phlox maculata
Corydalis glauca. Col 50	2 00		" pilosa
Cynoglossum officinale 1 50			" subulata 1 00 6 00 " " alba 1 25 8 00
" virginicum, Hound's Tongue. 1 50	8 00		Physostegia virginiana 1 00 7 00
Diphylleia cymosa 50	4 00		" alba 1 50 10 00
Disporum lanuginosum 50	3 00		Podophyllum peltatum 50 3 00
Epilobium angustifolium 75	.5 00		Polygonatum biflorum 60 3 00 20100
" angustifolium alba.			" giganteum 75 5 00
New Each \$2 .		** **	Potentilla tridentata 1 00
Eupatorium ageratoides 30 perfoliatum.	2 00	12 00	Pyrola rotundifolia. Col 50 3 00
Clumps 50	3 00		Rhexia virginica
" purpureum 50	3 00	25 00	
Euphorbia corollata 50	3 00		SANGUINARIA canadensis (Bloodroot). All
Galax aphylla, established 75			large orders should be placed at once. We cannot supply in quantity after August. Strong roots.
" " Col 50	3 00		50 cts for 10, \$2 per 100, \$8 per 1,000.
Gentiana andrewsii (Closed Gentian). An unlimited sup-			Saxifraga erosa. Col 60 3 00
ply of this popular late-blcom-		20.00	" leucanthemifolia 75 5 00
ing plant. Strong roots 60	3 00 6 00	18 00	Scrophularia nodosa 60 4 00
Geranium maculatum 50	3 00		Sedum telephoides. Clumps 1 00
Gillenia stipulacea. Strong 1 00			" telephium I 00
Helenium autumnale 50			" ternatum 75 4 00
Helianthus strumosus. Fine 60	4 00		SHORTIA galacifolia. The beautiful and rare
Hepatica acutiloba 40	3 00		Shortia introduced by us. A fine stock of strong, established plants on hand. Clumps, First size,
" triloba 75			\$1.75 for 10, \$12 50 per 100; Second size, \$1 for 10, \$5
Heuchera americana			per 100, \$35 per 1,000.
VIIIU A			Silene stellata 50 4 00
" pubescens 75 Hibiscus, Crimson Eye. S.	4 00		" virginica, Fire Pink 75 5 00
Strong 75	5 00		" Col 40 200 15 00
" moscheutos. S.	,		Smilacina bifolia. Col 40 2 00 10 00 40 racemosa 75 5 00 30 00
2-yrs 50	4 00		racemosa 75 5 00 30 00

Herbaceous Perennials, continued

Solidago lancifolia Per 10 100 1,000 " odora 75 5 00 " in variety Col. 50 2 00 \$10 00	Uvularia sessilifolia 50 Veratrum viride 50 Veronica virginica	\$3 00 3 00	1,000
SPIRÆA aruncus pubescens. Kelsey. New. A large and distinct pubescent form of the Goat's- Beard. Strong plants. \$2 for 10, \$15 per 100.	Viola canadensis <th>3 00</th> <th>\$15 00</th>	3 00	\$15 00
Spiræa aruncus. Strong o 75 5 00 Stachys aspera	" hastata 50 " palmata. Clumps 75	3 00	
Stenanthium robustum 2 oo 15 oo Thalictrum dioicum 60 3 oo	" pedata	5 00	
Thaspium aureum trifoliatum. Strong 50 3 00 Thermopsis caroliniana. Strong . 1 25 10 00	" rotundifolia 50 " sagittata 50	2 00 3 00	
" S. I yr. 75 5 00 40 00 " montana 1 50	Yucca angustifolia 1 00 " filamentosa. Strong 60 " Iight S avr. 40	4 00	30 0
"rhembifolia 1 50 Tradescantia pilosa 50 3 00	" Light, S. 2 yr. 40 " filamentosa, var. recur- vifolia. Clumps, 1st size. 60	2 00	30 0
** virginica 75 5 00 Trautvetteria palmata 60 4 00	Lighter, 2d size. 40 Xeroph y 11 u m asphodeloides.	2 00	10 0
Triosteum perfoliatum 50 Uvularia perfoliatum 50 3 00 15 00	Col. clumps 50 Zigadenus leimanthoides 1 50	3 50 8 00	

Hardy Cacti

		Per 10 100 1	Per 10 100
	arcenaria		\$1 50
44	camanchica		2 00
**	fragilis	1 50 \$10 00	
**	mesacantha cynoschila	1 50 10 00	
44	greenii .	175	
••	·· raiinesqu	Echinocereus viridiflorus	2 00



Cypripedium spectabile. (See page 15.)



Xanthorrhiza apiifolia (Yellow Root) growing at Highlands Nursery.

Undoubtedly the finest American undershrub for planting under trees or along roadways, walks and borders, and particularly where conditions of extreme moisture prevail. Foliage remains good till autumn, when it turns to shades of orange and yellow. Now used by thousands in parks and private grounds. A fine slock, ready for fall and spring sales. See prices, page 10.

HARLAN P. KELSEY

Tremont Building

Boston, Massachusetts